



Part No.	Gallons	Wall			UPS/Com Car			
		Weight	Thick.	Length	Width	Height	Shipping	Drawing
208001	1	2	0.200	12.5	6	5	UPS Std	√
270001	1	4	0.200	16.5	15.25	2.75	UPS Std	√
270002	1	4	0.200	12.5	6	3	UPS Std	√
550006	1	0.875	0.187		11.5	4	UPS Std	
207001	1.5	2	0.187	15	7	4	UPS Std	√
103002	2	3.5	0.200	23	6.5	4	UPS Std	√
300005	5	5	0.200	13.5	11	8	UPS Std	√
300005HD	5	7	0.300	13.5	11	8	UPS Std	√
209006	6	5	0.200	18	11.25	7.5	UPS Std	√
209006HD	6	6	0.312	18	11.25	7.5	UPS Std	√
103008	8	7	0.200	17.25	13.75	8	UPS Std	√
103008HD	8	13	0.370	17.25	13.75	8	UPS Std	√
120008	8	6.5	0.200	19	16	7	UPS Std	√
120008HD	8	11	0.300	19	16	7	UPS Std	√
130008	8	7	0.200	18	11.5	10	UPS Std	√
130008HD	8	13	0.370	18	11.5	10	UPS Std	√
207010	10	8	0.200	16	12	12	UPS Std	√
207010HD	10	12	0.350	16	12	12	UPS Std	√
208010	10	10	0.200	17	14	10	UPS Std	√
208010HD	10	12	0.375	17	14	10	UPS Std	√
209010	10	8	0.200	24	10	10	UPS Std	√
209010HD	10	12	0.320	24	10	10	UPS Std	√
103011	11	9	0.250	18	15	9.5	UPS Std	√
208011	11	7	0.200	30	10	8	UPS Std	√
208011HD	11	15	0.375	30	10	8	UPS Std	√
999918	11	9	0.250	18	15	9.5	UPS Std	
103012	12	10	0.200	22.75	9.38	13.5	UPS Std	√
120012	12	8	0.200	22	16	9	UPS Std	√
103013	13	9	0.200	20	17	9	UPS Std	√
103013HD	13	13	0.300	20	17	9	UPS Std	√
202015	14	10	0.200	24	14	10	UPS Std	√
202015HD	14	18	0.375	24	14	10	UPS Std	√
207014	14	13	0.200	30	11	10	UPS Std	√
207014HD	14	17	0.350	30	11	10	UPS Std	√
208014	14	10	0.200	22	16	12.5	UPS Std	√
208014HD	14	14	0.375	22	16	12.5	UPS Std	√
103015	15	9	0.200	14	14	18	UPS Std	√
103016HD	15	13	0.280	16	11	20	UPS Std	√
207016	16	11	0.200	27	14	10	UPS Std	√
207016HD	16	18	0.370	27	14	10	UPS Std	√
207016SD	16	20	0.375	27	14	10	UPS Std	√
102018	18	15.5	0.250	26	12	15	UPS Std	√
102018HD	18	22	0.375	26	12	15	UPS Std	√
102020	20	12	0.250	24	12	16	UPS Std	√
102020HD	20	18	0.370	24	12	16	UPS Std	√
103020	20	15	0.250	28	14	11.5	UPS Std	√
103020HD	20	18	0.312	28	14	11.5	UPS Std	√
120020	20	12	0.200	29	13	13	UPS Std	√
120020HD	20	23	0.370	29	13	13	UPS Std	√
130020	20	14	0.250	24	18	12	UPS Std	√
207020	20	13	0.250	19	16	16	UPS Std	√
207020HD	20	19	0.375	19	16	16	UPS Std	√



Dura-Cast Products, Inc.
General Purpose Tanks Sorted by Gallons

Part No.	Gallons	Wall			UPS/Com Car			
		Weight	Thick.	Length	Width	Height	Shipping	Drawing
208021	20	14	0.250	29	19.75	7	UPS Std	√
209020	20	15	0.250	24.5	15	14	UPS Std	√
103023	23	15	0.250	18.5	18	16	30# Min	√
103024	24	15	0.250	30	18	10.5	30# Min	√
103024HD	24	26	0.375	30	18	10.5	30# Min	√
130024	24	15	0.225	19	16.5	19.5	30# Min	√
103026	26	15	0.250	23	22	13	30# Min	√
207026	26	22	0.250	38.5	26	9	70# Min	
103026HD	26	25	0.370	23	22	13	30# Min	√
103028	28	18	0.300	21	18	18	30# Min	√
103028HD	28	25	0.370	21	18	18	30# Min	√
120028	28	20	0.250	30	22.5	10.5	30# Min	√
209028	28	19	0.250	27.75	18.75	12.75	30# Min	√
209028HD	28	27	0.375	27.75	18.75	12.75	30# Min	√
102030	30	21	0.250	30.5	23	10.75	30# Min	√
103030	30	20	0.250	30	20	12	30# Min	√
103030HD	30	24	0.375	30	20	12	30# Min	√
130030	30	17	0.250	32	21	11	30# Min	√
130030HD	30	25	0.300	32	21	11	30# Min	√
207030	30	18	0.250	42.5	16	10.5	30# Min	√
207030HD	30	31	0.375	42.5	16	10.5	30# Min	√
208030	30	19	0.250	33	14.5	16	30# Min	√
208033	30	22	0.250	40	14	13.5	30# Min	√
209031	30	18	0.250	27	24.5	13.5	30# Min	√
209031HD	30	29	0.375	27	24.5	13.5	30# Min	√
208029	32	26	0.250	46.5	7.75	21.5	30# Min	√
103034	34	24	0.250	35.25	22.5	11.5	30# Min	√
120035	35	23.5	0.250	27.5	24.5	13.75	30# Min	√
130035	35	19	0.250	29	22.5	13	30# Min	√
207035	35	26	0.250	37	28.5	12	70# Min	
208035	35	22	0.250	50	18.75	12	70# Min	
130035HD	35	28	0.350	29	22.5	13	30# Min	√
207036	36	22	0.250	36.25	18	14	30# Min	√
207036HD	36	34	0.375	36.25	18	14	30# Min	√
209037	37	26	0.250	42.5	17	12.75	30# Min	√
207038	38	25	0.250	48	16	12	30# Min	√
207038HD	38	36	0.350	48	16	12	30# Min	√
103040	40	24	0.250	30	21.5	13.5	30# Min	√
103040HD	40	28	0.375	30	21.5	13.5	30# Min	√
103041	40	28	0.250	55	18	11	70# Min	√
120040	40	24	0.250	33.5	18	15.5	30# Min	√
120040HD	40	32	0.375	33.5	18	15.5	30# Min	√
120041	40	30	0.250	61.375	19.5	9	70# Min	√
207040	40	26	0.250	30	29	11.5	70# Min	
208038	40	28	0.250	55.125	12	19.75	70# Min	
208040	40	18	0.250	27	20	17	30# Min	√
208040HD	40	24	0.375	27	20	17	30# Min	√
208041	40	23	0.250	40	14	17.375	30# Min	√
208041HD	40	35	0.350	40	14	17.375	30# Min	√
209040	40	23	0.250	24	21	21	30# Min	√
270040	40	26	0.250	37	22	11.5	30# Min	√
270040HD	40	34	0.350	37	22	11.5	30# Min	√
551253NAT	40	30	0.280	47	23.5	9.25	70# Min	√



Dura-Cast Products, Inc.
General Purpose Tanks Sorted by Gallons

Part No.	Gallons	Wall			UPS/Com Car			Shipping	Drawing
		Weight	Thick.	Length	Width	Height			
103042	42	24	0.250	34	18	16	30# Min	√	
103042HD	42	30	0.312	34	18	16	30# Min	√	
103045	45	34	0.250	58	20.5	11.5	70# Min		
207045	45	29	0.250	44	16	16	30# Min	√	
208045	45	29	0.250	34	33	13.813	70# Min		
207045HD	45	39	0.350	44	16	16	30# Min	√	
207047	47	28	0.250	47	17.5	14	70# Min	√	
200048	48	30	0.250	43	28	11	70# Min	√	
207049	49	35	0.250	60	21	9.25	70# Min	√	
207049HD	49	42	0.370	60	21	9.25	70# Min	√	
103050	50	34	0.250	53	12	17	70# Min	√	
103051	50	32	0.250	72	14.5	12	70# Min	√	
120050	50	30	0.250	48.75	20.5	13	70# Min	√	
300050	50	33	0.250	40	31	12	70# Min	√	
207051	51	32	0.250	56.5	21	10	70# Min	√	
209051	51	27	0.250	25	22	23	70# Min	√	
207051HD	51	48	0.370	56.5	21	10	70# Min	√	
103052	52	39	0.250	78	16	13	90# Min	√	
207052	52	38	0.250	80	11	15	90# Min	√	
208052	52	30	0.250	36	24	15	70# Min	√	
208052HD	52	44	0.370	36	24	15	70# Min	√	
103053	55	37	0.250	62	15.25	14.75	70# Min	√	
200055	55	35	0.280	46	28	11	70# Min	√	
200055HD	55	42	0.340	46	28	11	70# Min	√	
207055	55	29	0.250	32	20	20	70# Min	√	
207055HD	55	39	0.360	32	20	20	70# Min	√	
209055	55	30	0.250	42	20	15	70# Min	√	
209055HD	55	41	0.350	42	20	15	70# Min	√	
103058	58	41	0.250	79	27.25	6.5	90# Min	√	
209058	58	36	0.250	44.25	22.5	18.75	70# Min	√	
207059	59	34	0.250	58.5	17.5	13.5	70# Min	√	
207059HD	59	47	0.370	58.5	17.5	13.5	70# Min	√	
103060	60	32	0.250	42	22.5	16	70# Min	√	
103060HD	60	44	0.350	42	22.5	16	70# Min	√	
202060	60	32	0.250	36	28	14	70# Min	√	
202060HD	60	46	0.375	36	28	14	70# Min	√	
207060	60	32	0.250	37	29	13	70# Min		
208060	60	35	0.250	57	16.5	21.25	90# Min		
103062	62	44	0.250	68	27	8.25	90# Min	√	
103062HD	62	52	0.312	68	27	8.25	90# Min	√	
130072	64	46	0.250	85	25	13	90# Min		
103066	66	32	0.250	33	32	15	70# Min	√	
103066HD	66	50	0.375	33	32	15	70# Min	√	
103067	68	35	0.250	43.5	23	16	70# Min	√	
103067HD	68	50	0.350	43.5	23	16	70# Min	√	
103069	69	38	0.250	47.625	25.5	14	70# Min	√	
103069HD	69	48	0.312	47.625	25.5	14	70# Min	√	
102070HD	70	46	0.280	54	23.5	14	70# Min		
103072	72	42	0.250	77	18	12	90# Min	√	
200072	72	39	0.250	48	24	15	70# Min	√	
208072	72	38	0.25	46.5	17.25	21.5	70# Min	√	
103072HD	72	53	0.310	77	18	12	90# Min	√	
501975	75	50	0.280	32	29	24	90# Min	√	



Dura-Cast Products, Inc.
General Purpose Tanks Sorted by Gallons

Part No.	Gallons	Wall			UPS/Com Car			Shipping	Drawing
		Weight	Thick.	Length	Width	Height			
300086	86	40	0.280	31	28.5	24	90# Min	√	
300086HD	86	48	0.370	31	28.5	24	90# Min	√	
209090	90	44	0.250	46.5	20	24	90# Min	√	
209090HD	90	52	0.375	46.5	20	24	90# Min	√	
207095	95	45	0.250	55	22	18	90# Min	√	
207095HD	95	58	0.343	55	22	18	90# Min	√	
102100	100	53	0.250	80	21	15	90# Min	√	
103100	100	52	0.250	78	22	14.5	90# Min	√	
103101SD	100	108	0.500	64	55	11	Com Car	√	
103107	100	60	0.320	51	28	20	90# Min	√	
120100	100	60	0.250	72	23	14.5	90# Min	√	
120100HD	100	70	0.350	72	23	14.5	90# Min	√	
130052	100	53	0.250	80	21	15	90# Min	√	
130100	100	58	0.250	78	22	14.5	90# Min	√	
130100HD	100	72	0.370	78	22	14.5	90# Min	√	
130101	100	53	0.300	61	31	20.625	90# Min	√	
200100	100	49	0.250	46	20	28	90# Min	√	
200100HD	100	60	0.320	46	20	28	90# Min	√	
300100	100	46	0.250	40.25	28	23	90# Min	√	
300100HD	100	55	0.330	40.25	28	23	90# Min	√	
103102	102	59	0.250	79	30	10.5	90# Min	√	
103103	103	55	0.250	83.5	25	12	90# Min	√	
103103HD	103	83	0.375	83.5	25	12	90# Min	√	
140105HD	105	72	0.300	78	24	23	Com Car	√	
103110	110	59	0.250	89	21	14	90# Min	√	
103110HD	110	72	0.375	89	21	14	90# Min	√	
102120	120	58	0.250	58.5	31	16.5	90# Min	√	
103120	120	58	0.250	75	24	16.5	90# Min	√	
103120HD	120	81	0.370	75	24	16.5	90# Min	√	
130120	120	69	0.250	55	20	26.25	90# Min	√	
130120HD	120	75	0.370	55	20	26.25	90# Min	√	
103140	140	69	0.250	69	40.75	13.75	Com Car	√	
130140	140	80	0.280	93	22.5	16.5	Com Car	√	
103150	150	63	0.250	64	28.5	20	90# Min	√	
103150HD	150	93	0.375	65	29	20	90# Min	√	
120150	150	73	0.250	84	25	18.5	Com Car	√	
130150	150	70	0.250	96	28	15.5	Com Car	√	
130150HD	150	89	0.375	96	28	15.5	Com Car	√	
140150	150	73	0.280	70.5	46	13	Com Car	√	
103200	200	90	0.300	85	28.5	20	Com Car	√	
103201	200	88	0.3	44	40	28	Com Car	√	
130202	202	85	0.28	73.5	29	22.5	Com Car	√	
130202HD	202	115	0.37	73.5	29	22.5	Com Car	√	